


NITCO

TILES MARBLE MOSAICO



Woodville

200 x 1200 mm



It all started with a belief, and a purpose - a belief that there's no such feat which cannot be achieved, and a purpose to deliver the world's best products and services. 6 decades later, we're one of the largest, and the only premium tile brand in India. And we're only getting started.


NITCO is the only company in the country to boast a state-of-the-art, fully-integrated, automated plant, with benchmark processing systems and the most advanced technology. We are also the only company with an automated sorting process. This ensures quality consistency with the least variations. Our plant houses the country's most advanced Lab, with skilled technicians, professionals and experts from across the globe, ensuring quality and standards par excellence.

But most importantly, our processes, systems and technology also offer one more extended feature-peace of mind. In an industry where minor defects and imperfections are a norm, we strive to offer quite the opposite. With NITCO you are assured minimum risk, and the best quality, at all times. A definitive proof of that comes in the goodwill we've created amidst the Architect and Dealer fraternity across India.

INDEX

Woodville Collection

Balsa Coffee Brown	22
Balsa Sand Dune	23
Betula Chestnut	24
Betula Wenge	25
Beechwood Light Grey	26
Beechwood Mustard	27
Beechwood Tortila	28
Cassia Golden Oak	29
Cassia Nutmeg	30
Cassia Honey Pine	31
Fagus Earth	42
Fagus Gun Metal	43
Maple Miel	50
Maple Natura	51
Maple Polar	52
Oregon Peanut	53
Oregon Cedar	54
Oregon Rosewood	55
Pine Reco	74
Sean Ligna	75
Smoked Wood Cherry	76
Smoked Wood Natural	77
Wenge Oscuro	78
Willow Oak	79





The Earthy tones of the woodlands inspire a world of renewed vigour for distinctive interiors and immaculate beauty.

NITCO | **Woodville**
200 x 1200 mm

M MATTE FINISH



Floor:
BALSA COFFEE BROWN
200 X 1200 mm





Floor:
BALSA SAND DUNE
200 X 1200 mm

Floor:
Beechwood Light Grey
200 X 1200 mm



Floor:
BEECHWOOD MUSTARD
200 X 1200 mm





Floor:
BEECHWOOD TORTILA
200 X 1200 mm



Floor:
BETULA CHESTNUT
200 X 1200 mm



Floor:
BETULA WENGE
200 X 1200 mm

Woodville Collection

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



BALSA COFFEE BROWN



NITCO

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



BALSA SAND DUNE



Woodville Collection

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



BETULA CHESTNUT



24

NITCO

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



BETULA WENGE



25

Woodville Collection

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



BEECHWOOD LIGHT GREY



NITCO

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



BEECHWOOD MUSTARD



Woodville Collection

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



BEECHWOOD TORTILA



NITCO

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



CASSIA GOLDEN OAK



Woodville Collection

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



CASSIA NUTMEG



NITCO

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



CASSIA HONEY PINE





Floor:
CASSIA GOLDEN OAK
200 X 1200 mm

Floor:
CASSIA HONEY PINE
200 X 1200 mm






Floor:
CASSIA NUTMEG
200 X 1200 mm



Floor:
FAGUS EARTH
200 X 1200 mm



Wall & Floor:
FAGUS GUN METAL
200 X 1200 mm



Woodville Collection

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



FAGUS EARTH



NITCO

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



FAGUS GUN METAL





Floor:
MAPLE MIEL
200 X 1200 mm





Floor:
MAPLE NATURA
200 X 1200 mm



Floor:
MAPLE POLAR
200 X 1200 mm



Woodville Collection

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



MAPLE MIEL



NITCO

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



MAPLE NATURA



Woodville Collection

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



MAPLE POLAR



NITCO

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



OREGON PEANUT



Woodville Collection

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



OREGON CEDAR



NITCO

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



OREGON ROSEWOOD





Floor:
OREGON CEDAR
200 X 1200 mm




Wall & Floor:
OREGON PEANUT
200 X 1200 mm





Floor:
OREGON ROSEWOOD
200 X 1200 mm



Floor:
PINE RECO
200 X 1200 mm





Floor:
SEAN LIGNA
200 X 1200 mm



Floor:
SMOKED WOOD CHERRY
200 X 1200 mm



Floor:
SMOKED WOOD NATURAL
200 X 1200 mm



Floor:
WENGE OSCURO
200 X 1200 mm



Floor:
Willow Oak
200 X 1200 mm

Woodville Collection

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



PINE RECO



NITCO

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



SEAN LIGNA



Woodville Collection

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



SMOKED WOOD CHERRY



76

NITCO

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



SMOKED WOOD NATURAL



77

Woodville Collection

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



WILLOW OAK



NITCO

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in



WENGE OSCURO



Woodville Collection

Laying Pattern of Tiles

Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in

1. Mark and lay out the tiles from the center of the area to be tiled so that cut tiles, if any, will be on the outer edges towards the wall
2. Maintain a gap of 1 mm to 2 mm between every two tiles to allow for possible expansion as per BIS/EN tolerance norms. For the same usage of a SPACER IS COMPULSORY
3. Don't do a full offset with wood plank tile. By doing a 50% offset, where the middle of a tile is exactly in line with the grout joint of the next row, you have maximized the amount of unevenness, or lip page, between the tiles. The American National Standards Specifications for the Installation of tile sets the limit at 33% maximum offset (ANSI A108.02 Section 4.3.8). This means that on a 24 inch long tile the maximum offset is 8?
4. For tiles in wood planks format, kindly following similar patterns as given in Fig.1 and Fig.2
5. Complete the tile laying process by pressing the tiles firmly into place along the floor
6. Ensure 3-4 days for bed curing. After this period fill the joints with grout
7. Fifteen minutes after finishing the grouting process wipe off excess grout with a damp sponge and polish the tiles with a soft and dry cloth for a clean surface. The tiles can also be cleaned by mild acid (However Hydrofluoric acid and its derivatives should not be used)
8. Kindly look for the arrow / alphabet on the back of the tile and follow the laying pattern as specified
9. Under no circumstances Company shall be Liable in case any problem arises out of non-adherence of the above tile fixing / laying instructions
10. Your beautiful NITCO flooring is now ready with the elegant look

Nothing in these instructions is a substitute for good workmanship and supervision




Fig. 1






Fig. 2

Design Ideas


Size: 200 X 1200 mm | 20 X 120 cm | 8 X 48 in




1




2



3



4



5

Technical Specifications GVT Tiles

(GROUP BIa EN 176 / ISO13006)
200X1200mm

Sr.No.	Test Description	ISO13006 : 2018		Nitco's Value	
		Standard Test Method	Requirement as per Bia	1200 mm side	200 mm side
1	Deviation in Length & Width	ISO 10545-2	± 0.3% (Max 1.0mm)	± 0.08%	± 0.2%
2	Deviation in Thickness	ISO 10545-2	± 5.0% (Max 0.5mm)	± 4.0%	
3	Straightness of sides	ISO 10545-2	± 0.3% (Max 0.8mm)	± 0.06%	± 0.2%
4	Rectangularity	ISO 10545-2	± 0.3% (Max 1.5mm)	± 0.1%	± 0.2%
5	Surface flatness				
	Centre Curvature	ISO 10545-2	± 0.4% (Max 1.8mm)	± 0.13%	± 0.13%
	Edge Curvature	ISO 10545-2	± 0.4% (Max 1.8mm)	± 0.15%	± 0.40%
	Warpage	ISO 10545-2	± 0.4% (Max 1.8mm)	± 0.13%	± 0.13%
6	Surface Quality	ISO 10545-2	Min.95% free from visible defects	> 95% free from visible defects	
7	Water Absorption	ISO 10545-3	Avg.= 0.5, Ind. max 0.6	< 0.5%	
8	Modulus of Rupture, MOR (N/mm ²)	ISO 10545-4	= 35	> 35	
9	Breaking Strength, N	ISO 10545-4	= 1300	Min 2200	
10	Abrasion Resistance	ISO 10545-7	PEI Group III, IV, V	As Specified	
11	Thermal Shock Resistance	ISO 10545-9	No visible defects	Resistant	
12	Crazing Resistance	ISO 10545-11	No crazing	Resistant	
13	Frost Resistance	ISO 10545-12	No visible damage	Resistant	
14	Resistance to Acid, Alkalies and Chemicals (Except HF)	ISO 10545-13	No visible defects	Resistant	
15	Resistance to Staining	ISO 10545-14	Min. 3	Class 5	

Packing Details

Dimension	Tiles / Box	Coverage Area	
		Sq.Mts.	Sq.Feet
200mm x 1200mm	4	0.96	10.33

The reproduction of tiles in this catalogue is restricted to four colour printing only and tiles are not relative in sizes. Conforming to ISO requirements, technical specifications of NITCO tiles are applicable only for first grade / first quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid / fixed. Price category & PEI grade may change without any notice. Customers are advised to confirm it before placing order.

LE STUDIO (NITCO EXCLUSIVE SHOWROOMS)

Ahmedabad 079-26937719,26937095,9712946437. Bengaluru080-22861865,66, 65668541,7829969107. Chennai 044 - 28152962,63,64,8939991766. Cochin 0484 - 2339847,0484-2342876. Delhi011-26514116,26524239,26534909,9643321564. Hyderabad 040-27847204,9703012942. Jaipur 0141-6596142,9549075298. Kolkatta 033-60606003,9073604513. Mumbai 022-67521555/67302500,022-66605966,9167442226,7045649661.Panchkula 0172- 2584367,2580367,8558824279. Silvassa7600026160.

LE STUDIO EXPRESS (NITCO FRANCHISEE SHOWROOMS)

Adoor 9447685948,9847663300. Ajmer 0145-2631474. Anchal 0475-2275103. Bengaluru 9019397070,080-25727279. Bhagalpur 9431214548. Bhatinda 9888181505,0164-2239841. Bhopal 0755-4074016,9425016879,9425017620. Bicholim 9422062492. Chennai 044-2682408, 8870080016/7, 9841266386. Cochin 0485-2250017,9895383840,9446022480. Davangere 08192-264544. Dehradun 0135-2654304 9837055292. Dehri on sone 9981115883/9430286344. Delhi 9810399950. Guwahati 9954053054. Gwalior 7514012490. Hosur 0434-4243330/695790,9843243330,9443383966. Hyderabad 9848052959,9949216347,9885329687. Jaipur 0141-23922170,2392438, 9829395255. Jammu 9419139071. Kalbhorr,Pune 9975587777. Karaikudi 04565-236714/233714,9442636714. Karnal 0184-2653599. Khanna 9872026059. Kharagpur 9679771629. Koderma 7739245610. Kottayam 9447767756,9895773786, 9946442464. Kurukshetra 9416266622. Madhya Marg 0172-2795101,9417886337. Madurai 0452-4371639. Malappuram 91 0483-2970110. Malappuram 0483-2743276. Motihari 8292481641. Mumbai 9833972730. Munger 8797318929. Muzzaffarpur 8709746294/7870665140. Panjim 08322435800, 9890604916. Patiala 9779721015,0175-5063223.Patna9835080265/8809478598,8210979851. Pondicherry 9754489281.Pudukottai 7708876777. Ranchi 9431107917. Rudrapur 05944-2242389. Salem 0427-2281995,9787749999. Sambalpur 9668430123,9437050129. Sasaram 8083288085/9504455776. Shimoga 08182-221629. Srinagar 0194-2310760. Tanjore 7708876777. Trichy 0431-2459125/2458125/4220125, 9894658066,989463345.Trivandrum 0471-2290964/2292777,9447073117.Trivandrum 9846016623.Vijaywada0866-2544119, 2544229,9390502999

NITCO LOOK (NITCO FRANCHISEE SHOWROOMS)

Aleppy 9895332369. Ambala 9416249911. Balasore 9439372749. Bengaluru 9663501122. Bengaluru 9945335499. Bhavnagar 9979255859. Bhiwani 0261-2231070,9050426834. Bhopal 07552592695,9893078883,9893046787. Chandigarh (Panchkula) 9872880007. Chennai 9840733143. Cochin 9447769973. Darbhanga 0627-2250258,7739217777. Dehradun 9927081660,0135-2620660. Delhi 011-43305088,9310027422.Dindigul0451-2431856. Dombivali 9322591235. Durgapur 9832163588. Gaya 9431224372. Gopalganj 8084599953. Gorakhpur 8009085441/9792812124/7081673233. Guwahati 9401450134,9401510398. Hubli 9916259022, 8364253862. Indore 9981175777,7313292008,9827800098/9826900098/0731-4973570. Jaipur 9828024521. Kanjirapally 9447073023. Kannur 9895189999. Karaikal 04368-220330,9442948134. Kedgaon Pune 9096253388,9860784466. khushinagar 9651838569/9936165408. Kollam (Quilon) 0474-2765015. Kottayam 9744917918/9961578543. Kozhikode(Calicut) 0496-2526088. Ludhiana 9814034147. Madgaon 0832-2791818. Mandi 9418300042. Margao 9823072500. Mumbai 022-26170146,9820137996. Mysore 9480111113,0821-24420787/9. Nadiad 7211131142. Nagpur 9823644280. Nasik 9423080979. Navi Mumbai 9819403301. Neemunch 9826037131. Noida 9718880008. Osmanabad 9422465224. Paithakkulam 0474-2652371,9431302097. Palai,Kottayam 0482-2325558. Palakkad (Palghat) 9446573065. Panipat 9416011995. Panjim 9822729993/0832-2423744. Pathanamthitta 9447230506. Pathankot 0186-2220186. Patna 9334114561. Perambalur, Trichy 8754014125. Porvorim 0832-2410720. Pune 7276408528,9960781999,9823040721,9823049699,8087797244,9822291521. Rajkot 02812-2332122, 9879779977,9898090433/9898526085. Ramgarh 9835708029. Ranchi 8210921500. Rewari 9812365275. Sangli 0233-2531846/ 6511633. Shirur 9422228004. Sikar 9352138831/9039010111. Srinagar 9582266162,0194-2420422. Thiruvalla 0469-2650745,0469-2631644. Thottumkal 0486-2243999. Thrissur 0487-2331298,9843637227,9061582101. Tirupati 9948088460. Trivandrum 0471-3021548. Udaipur 0294-2482787, 9352503820. Velimukh 9447088099. Vishakapatnam 9000951744.

GVT GALLORE

Amravati 9823181395. Ernakulam 9895114000/484 276 1211. Gandhinagar 93777 60825 & 99248 97477. Himmatnagar 9427355509 / 02772-247465. Kolkatta 9829666666. Kozhikode 9946841996. Mumbai 9820020988

Wall Couture

Kolkata 9748709888.



NITCO LIMITED

Nitco House, Sheth Govindram Jolly Marg,
Kanjur Marg (E), Mumbai - 400042.

Tel.: +91-22-67521555 | Fax: +91-22-67521500.

To Locate the nearest Exclusive Le Studio in your city,
Please call Toll free:1800 209 9898 | marketing@nitco.in



www.nitco.in



Nitco Woodville Collection April 2019