




SOMANY

DURAGRES



Choice of the Superstar
Salman Khan

SOMANY

Somany Ceramics Limited : Noida: F-36, Sector- 6; Ph.: 0120-4627900.
 Ahmedabad: Office no. 7-14, 4th Floor, Aggarwal Mall, Opp. Sola Bhagwat Vidyapeeth, S.G. Road, Sola, Ph.: 079-66042500 to 599
 Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913
 www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic



DURAGRES / CAT / JULY-2019



600x1200mm | 800x800mm | 600x600mm

UNIT - IV

I N D E X
I N D E X

page no. **04**

600X1200MM

HIGH GLOSS | FULL POLISH | RUSTIC | METTALIC | ROTTO



page no. **50**

800X800MM

HIGH GLOSS | FULL POLISH | MATT | RUSTIC



page no. **66**

600X600MM

FULL POLISH | MATT | RUSTIC | ROTTO




A balanced tile is combination of
good design
and great application usability.

GRANDE
ELEGANT
LUCENA
BLUE FP


MARBLE
RUSTIC
MATT

LUCIDO
FULL POLISHED


800x1200mm



V4
GRANDE LUCIDO ELBRUS BLUE WOOD
High Gloss, 600x1200mm




V3
GRANDE LUCIDO FANTASY NERO
High Gloss, 600x1200mm



V4
GRANDE LUCIDO PORTORO BLACK
High Gloss, 600x1200mm



V4
GRANDE LUCIDO ROSSO TRAVERTINO
High Gloss, 600x1200mm



V4
GRANDE ELEGANTE ACE ARMANI COFFEE FP
Full Polish, 600x1200mm



V3
GRANDE ELEGANTE LUCENA BLUE FP
Full Polish, 600x1200mm




V3

GRANDE ELEGANTE LUGANO GREY FP
Full Polish, 600x1200mm




V3

GRANDE ELEGANTE ZURA STATUARIO FP
Full Polish, 600x1200mm



V4

GRANDE VALOR ARMANI BEIGE FP
Full Polish, 600x1200mm




V4

GRANDE VALOR ARMANI GREY FP
Full Polish, 600x1200mm



V4

GRANDE VALOR BOTTOCHINO NEXT BEIGE FP
Full Polish, 600x1200mm




V4

GRANDE VALOR BOTTOCHINO NEXT CREMA FP
Full Polish, 600x1200mm



V4
GRANDE VALOR BRECCIA BEIGE FP
Full Polish, 600x1200mm



V4
GRANDE VALOR BRECCIA GREY FP
Full Polish, 600x1200mm




V2
GRANDE VALOR BRUCE OAK FP
Full Polish, 600x1200mm




V4
GRANDE VALOR BRILLAR LIGHT FP
Full Polish, 600x1200mm



V4
GRANDE VALOR BRILLAR DARK FP
Full Polish, 600x1200mm



V4
GRANDE VALOR CALLIS BEIGE FP
Full Polish, 600x1200mm




V4
GRANDE VALOR CALLIS BROWN FP
Full Polish, 600x1200mm




V4
GRANDE VALOR CALLIS DARK GREY FP
Full Polish, 600x1200mm



V4
GRANDE VALOR CALLIS LIGHT GREY_FP
Full Polish, 600x1200mm




V4
GRANDE VALOR CALLIS PINK_FP
Full Polish, 600x1200mm



V4
GRANDE VALOR CLAUDIA WHITE FP
Full Polish, 600x1200mm



V4
GRANDE VALOR DAINO BEIGE FP
Full Polish, 600x1200mm



V3

GRANDE VALOR ELEANA BEIGE FP
Full Polish, 600x1200mm



V1

GRANDE VALOR FORO BLUE FP
Full Polish, 600x1200mm




V1

GRANDE VALOR FORO GREY FP
Full Polish, 600x1200mm



V4

GRANDE VALOR FORZENTA BEIGE FP
Full Polish, 600x1200mm



V4

GRANDE VALOR FORZENTA BROWN FP
Full Polish, 600x1200mm



V4

GRANDE VALOR FORZENTA DARK GREY_FP
Full Polish, 600x1200mm




V4

GRANDE VALOR FORZENTA LIGHT GREY_FP
Full Polish, 600x1200mm




V4

GRANDE VALOR GEMSTONE HONEY FP
Full Polish, 600x1200mm




V1

GRANDE VALOR GLACIER WHITE FP
Full Polish, 600x1200mm



V3

GRANDE VALOR KARNIS CREMA FP
Full Polish, 600x1200mm




V3

GRANDE VALOR MARFIL MADRID FP
Full Polish, 600x1200mm



V4

GRANDE VALOR NAVONNA BEIGE FP
Full Polish, 600x1200mm




V4

GRANDE VALOR NEO CARARRA FP
Full Polish, 600x1200mm



V4

GRANDE VALOR NEO DAINO BEIGE FP
Full Polish, 600x1200mm



V3

GRANDE VALOR NEO ROSO PEZZATO FP
Full Polish, 600x1200mm




V4

GRANDE VALOR NEO STATURIO FP
Full Polish, 600x1200mm




V4

GRANDE VALOR ORIENT NATURAL FP
Full Polish, 600x1200mm



V3

GRANDE VALOR ORLIN WHITE FP
Full Polish, 600x1200mm




V4

GRANDE VALOR PARISION IVORY FP
Full Polish, 600x1200mm



V4

GRANDE VALOR PERLATO BEIGE FP
Full Polish, 600x1200mm




V3

GRANDE VALOR RAINFOREST GREY FP
Full Polish, 600x1200mm




V3

GRANDE VALOR SAVONA BURBERRY BEIGE FP
Full Polish, 600x1200mm



V2

GRANDE VALOR STATUARIO FP
Full Polish, 600x1200mm



V2

GRANDE VALOR SYMPHONY CREMA FP
Full Polish, 600x1200mm




V4

GRANDE VALOR TRAVERTINE BEIGE FP
Full Polish, 600x1200mm




V4

GRANDE VALOR TRAVERTINE GREY FP
Full Polish, 600x1200mm



V3

GRANDE VALOR TRAVERTINO NEXT CREMA FP
Full Polish, 600x1200mm



V1

GRANDE VALOR GLACIER WHITE VC
Matt, 600x1200mm



V2

GRANDE VALOR ARDOIS BLACK
Rustic, 600x1200mm



V2


GRANDE VALOR ARDOIS GREY
Rustic, 600x1200mm




GRANDE
VALOR
CORBIN
CAFÉ



V4
GRANDE VALOR ASPERO BEIGE
Rustic, 600x1200mm



V4
GRANDE VALOR BRITTSTONE BEIGE
Rustic, 600x1200mm



V4
GRANDE VALOR BRITTSTONE BROWN
Rustic, 600x1200mm




V1
GRANDE VALOR BRITTSTONE DECOR
Rustic Carving 600x1200mm



V4
GRANDE VALOR BRITTSTONE LIGHT GREY
Rustic, 600x1200mm



V4
GRANDE VALOR BRITTSTONE DARK GREY
Rustic, 600x1200mm



V4
GRANDE VALOR CANBERRA GREY
Rustic, 600x1200mm




V3
GRANDE VALOR CEMENTOR BEIGE
Rustic, 600x1200mm



V3
GRANDE VALOR CEMENTOR COTTO
Rustic, 600x1200mm



V4
GRANDE VALOR CORBIN CAFÉ
Rustic, 600x1200mm



V4
GRANDE VALOR CORBIN CREMA
Rustic, 600x1200mm




V4
GRANDE VALOR BINE TRAVERTINO BEIGE
Rustic, 600x1200mm



V1

GRANDE VALOR FLABUS TRAVERTINE
Rustic, 600x1200mm



V1

GRANDE VALOR DYLAN BEIGE
Rustic, 600x1200mm



V1

GRANDE VALOR DYLAN GREY
Rustic, 600x1200mm




V2

GRANDE VALOR HOLZ WOOD BROWN
Rustic, 600x1200mm



V2

GRANDE VALOR HOLZ WOOD PINE
Rustic, 600x1200mm



V2

GRANDE VALOR MERLINO NATURAL
Rustic, 600x1200mm



V2

GRANDE VALOR MERLINO BROWN
Rustic, 600x1200mm



V2

GRANDE VALOR MERLINO GREY
Rustic, 600x1200mm




V2

GRANDE VALOR MERLINO GRIS
Rustic, 600x1200mm




V4

GRANDE VALOR SANDSTONE DARK GREY
Rustic, 600x1200mm



V4

GRANDE VALOR SANDSTONE LIGHT GREY
Rustic, 600x1200mm



V4

GRANDE VALOR SANDSTONE BEIGE
Rustic, 600x1200mm



V4

GRANDE VALOR SANDSTONE BROWN
Rustic, 600x1200mm




V1

GRANDE VALOR MARTIN BEIGE DÉCOR
Rustic Carving, 600x1200mm




V2

GRANDE VALOR MARTIN BEIGE
Rustic, 600x1200mm




V1

GRANDE VALOR URBIS DÉCOR
Rustic Carving, 600x1200mm



V1

GRANDE VALOR URBIS BONE
Rustic, 600x1200mm



V2

GRANDE VALOR GARLEN BEIGE
Rustic, 600x1200mm

RUSTIC | 600X1200MM

VALOR
COLLECTION




SOMANY?
DURAGRES

GRANDE
VALOR
LISTON GRIS
DECOR &
LIGHT GREY



V1
GRANDE VALOR LISTON GREY DECOR
Rustic Carving, 600x1200mm




V4
GRANDE VALOR LISTON LIGHT GREY
Rustic, 600x1200mm



V4
GRANDE VALOR LISTON GREY
Rustic, 600x1200mm



V1
GRANDE VALOR LISTON BROWN DECOR
Rustic Carving, 600x1200mm



V4
GRANDE VALOR LISTON BEIGE
Rustic, 600x1200mm



V4
GRANDE VALOR LISTON BROWN
Rustic, 600x1200mm




V1

GRANDE PRECIOUS RAVEL COFFEE
Rustic Carving, 600x1200mm




V1

GRANDE PRECIOUS RAVEL GRIS
Rustic Carving, 600x1200mm




V1

GRANDE PRECIOUS TASSOS
Rustic Carving, 600x1200mm




V1

GRANDE PRECIOUS MILOS DECOR
Rustic Carving, 600x1200mm




V1

GRANDE VALOR TAIGA DÉCOR
Rustic Carving, 600x1200mm




V1

GRANDE VALOR TAIGA GRIS
Rustic, 600x1200mm



V2

GRANDE PRECIOUS ARIANA BIANCO DÉCOR
Rustic Carving, 600x1200mm



V1

GRANDE PRECIOUS ARIANA BIANCO
Rustic Carving, 600x1200mm



V1

GRANDE VALOR VALDIVA DÉCOR
Rustic Carving, 600x1200mm



V1

GRANDE VALOR VALDIVA GREY
Rustic, 600x1200mm



V3

GRANDE METALON MILLENIUM WOOD NATURAL
Mettalic Finish, 600x1200mm



V2

GRANDE PRECIOUS MILLENIUM WOOD DÉCOR
Rustic Carving, 600x1200mm




V3

GRANDE METALON MILLENIUM WOOD BROWN
Mettalic Finish, 600x1200mm



V1

GRANDE METALON KLOI DÉCOR
Mettalic Finish, 600x1200mm




V2

GRANDE VALOR IRVEN GREY
Rustic, 600x1200mm



V2

GRANDE VALOR IRVEN BEIGE
Rustic, 600x1200mm




V1

GRANDE METALON INKA DÉCOR
Mettalic Finish, 600x1200mm



V2

GRANDE VALOR INKA BROWN
Rustic, 600x1200mm



V3

GRANDE METALON ARLON COPPER
Mettalic Finish, 600x1200mm



V1

GRANDE METALON FORDWOOD
Mettalic Finish, 600x1200mm




V4

GRANDE VALOR PEGASUS LIGHT GREY
Rotto Finish, 600x1200mm



V4

GRANDE VALOR PEGASUS DARK GREY
Rotto Finish, 600x1200mm



V4

GRANDE VALOR PEGASUS CREMA
Rotto Finish, 600x1200mm



V4

GRANDE VALOR PEGASUS BEIGE
Rotto Finish, 600x1200mm



V3

GRANDE VALOR LAPIDA NATURAL
Rotto Finish, 600x1200mm



V3

GRANDE VALOR LAPIDA GREY
Rotto Finish, 600x1200mm



800x800mm

MARBLE LUCIDO
FULL POLISHED
STONE
RUSTIC
MATT

MARBO
ELEGANT
LUCINA
CAFÉ FP



V2
MARBO LUCIDO DEEP OCEAN BLUE
High Gloss, 800x800mm



V4
MARBO LUCIDO ACE ARMANI CAFÉ
High Gloss, 800x800mm



V4
MARBO LUCIDO BLACK PORTORO
High Gloss, 800x800mm



V4
MARBO BOTTICHINO FP
Full Polish, 800x800mm



V4
MARBO BOTTICHINO BROWN FP
Full Polish, 800x800mm



V4
MARBO DAINO GREY FP
Full Polish, 800x800mm



V4
MARBO DAINO BEIGE FP
Full Polish, 800x800mm



V4
MARBO ACE ARMANI GREY LIGHT FP
Full Polish, 800x800mm



V4
MARBO ELEGANT ACE ARMANI CREMA FP
Full Polish, 800x800mm



V4
MARBO ELEGANT ACE ARMANI GREY DARK FP
Full Polish, 800x800mm



V4
MARBO ELEGANT BRECCIA NATURAL FP
Full Polish, 800x800mm



V2
MARBO ELEGANT LUCINA CAFÉ FP
Full Polish, 800x800mm



V2
MARBO ELEGANT MALLORCA BEIGE FP
Full Polish, 800x800mm




V2
MARBO ELEGANT REGINA BEIGE FP
Full Polish, 800x800mm



V4
MARBO ENTOX BEIGE FP
Full Polish, 800x800mm



V4
MARBO ENTOX NATURAL FP
Full Polish, 800x800mm



V1
MARBO GLACIER WHITE FP
Full Polish, 800x800mm



V4
MARBO NUOVO STATURIO FP
Full Polish, 800x800mm



V4
MARBO SEGESTA BIANCO FP
Full Polish, 800x800mm




V4
MARBO LAURENCE DARK FP
Full Polish, 800x800mm



V4
MARBO LAURENCE LIGHT FP
Full Polish, 800x800mm



V4
MARBO SEGESTA GOLD FP
Full Polish, 800x800mm



V4
MARBO STATUARIO FP
Full Polish, 800x800mm



MARBO
SANDSTONE
BROWN



V4
MARBO BOTTICHINO VC
Matt, 800x800mm



V4
MARBO DAINO BEIGE VC
Matt, 800x800mm




V4
MARBO DAINO GREY VC
Matt, 800x800mm




V4
MARBO NEVADA GREY
Rustic, 800x800mm



V1
MARBO CRANFIS BRONCE
Rustic, 800x800mm




V1
MARBO CRANFIS MARFIL
Rustic, 800x800mm



V4
MARBO IRVEN BEIGE
Rustic, 800x800mm




V4
MARBO IRVEN GREY
Rustic, 800x800mm




V4
MARBO LISTON BEIGE
Rustic, 800x800mm



V4
MARBO LISTON BROWN
Rustic, 800x800mm



V4
MARBO LISTON GREY
Rustic, 800x800mm



V4
MARBO LISTON LIGHT GREY
Rustic, 800x800mm



V4
MARBO SANDSTONE LIGHT GREY
Rustic, 800x800mm



V4
MARBO SANDSTONE BEIGE
Rustic, 800x800mm



V4
MARBO SANDSTONE DARK GREY
Rustic, 800x800mm



V4
MARBO SANDSTONE BROWN
Rustic, 800x800mm



V1
MARBO VERANDA BEIGE
Rustic, 800x800mm



V1
MARBO TALLADO GREY
Rustic, 800x800mm




V4
MARBO TERRAIN BEIGE
Rustic, 800x800mm



V4
MARBO TERRAIN COTTO
Rustic, 800x800mm



V4
MARBO IMPRESSION SORRENTO BROWN
Carving, 800x800mm



V2
MARBO IMPRESSION TORTORA GRIS
Carving, 800x800mm



VALOR
ELIOS
LIGHT & DARK
FP

MARBLE
RUSTIC
LUCIDO
FULL POLISHED
STONE
MATT

800x800mm



V1

VALOR AMSTERDAM FP
Full Polish, 600x600mm



V2

VALOR BOTTICINO BOLITA FP
Full Polish, 600x600mm



V4

VALOR DAINO BEIGE FP
Full Polish, 600x600mm



V4

VALOR DAINO GOLD FP
Full Polish, 600x600mm




V4

VALOR ELIOS DARK FP
Full Polish, 600x600mm



V4

VALOR ELIOS LIGHT FP
Full Polish, 600x600mm



V1

VALOR GLACIER WHITE FP
Full Polish, 600x600mm



V3

VALOR IMPERIAL DIANO BEIGE FP
Full Polish, 600x600mm



V3

VALOR IMPERIAL DIANO GREY FP
Full Polish, 600x600mm



V4

VALOR PARNORA MARFI FP
Full Polish, 600x600mm



V4

VALOR PRIME BOTTICINO BROWN FP
Full Polish, 600x600mm



V4

VALOR SEGESTA GOLD FP
Full Polish, 600x600mm



V1


VALOR ROSSA GOLD FP
Full Polish, 600x600mm



V1
VALOR CHROMA BIANCO
Matt, 600x600mm



V1
VALOR CRAYON BIANCO
Matt, 600x600mm



V1
VALOR DELMON GREY
Matt, 600x600mm



V1
VALOR PLAZO BIANCO
Matt, 600x600mm




V4
VALOR ROSETA DARK GREY
Matt, 600x600mm



V4
VALOR ROSETA LIGHT GREY
Matt, 600x600mm



V4
VALOR VIGOUR BEIGE
Matt, 600x600mm



V4
VALOR BETON BEIGE
Rustic, 600x600mm



V4
VALOR BETON BONE
Rustic, 600x600mm




V4
VALOR BETON COTTO
Rustic, 600x600mm



V4
VALOR BRITTSTONE BEIGE
Rustic, 600x600mm




V4
VALOR BRITTSTONE BROWN
Rustic, 600x600mm



V4
VALOR BRITTSTONE GREY DARK
Rustic, 600x600mm



V4
VALOR BRITTSTONE GREY LIGHT
Rustic, 600x600mm



V1
VALOR BRUCE WALNUT
Rustic, 600x600mm



V4
VALOR ETHOS BEIGE
Rustic, 600x600mm




V4

VALOR ETHOS COTTO
Rustic, 600x600mm



V4

VALOR ETHOS GRAPHITO
Rustic, 600x600mm



V4

VALOR ETHOS GREY
Rustic, 600x600mm




V4

VALOR LISTON BEIGE
Rustic, 600x600mm



V4

VALOR LISTON BROWN
Rustic, 600x600mm



V4

VALOR LISTON GREY
Rustic, 600x600mm



V3

VALOR GIZA GRIS
Rustic, 600x600mm




V3

VALOR GIZA RUST
Rustic, 600x600mm



V4

VALOR IRIDIUM CREMA
Rustic, 600x600mm



V4

VALOR LISTON LIGHT GREY
Rustic, 600x600mm



V2

VALOR MORTER CEMENT
Rustic, 600x600mm



V2

VALOR MORTER GRIS
Rustic, 600x600mm



V4

VALOR IRIDIUM BROWN
Rustic, 600x600mm




V4

VALOR IRIDIUM GREY DARK
Rustic, 600x600mm



V4

VALOR IRIDIUM GREY LIGHT
Rustic, 600x600mm



V1

VALOR PIZARRA BEIGE
Rustic, 600x600mm




V1

VALOR PIZARRA BIANCO
Rustic, 600x600mm




V1

VALOR PIZARRA BROWN
Rustic, 600x600mm



V1
VALOR PIZARRA GOLD
Rustic, 600x600mm



V1
VALOR PIZARRA GREY
Rustic, 600x600mm



V4
VALOR PORTLAND NERO
Rustic, 600x600mm



V2
VALOR REAL WOOD BEIGE
Rotto, 600x600mm



V2
VALOR REAL WOOD TEAK
Rotto, 600x600mm



V4
VALOR SUEL BEIGE
Rotto, 600x600mm



V4
VALOR SUEL BROWN
Rotto, 600x600mm






DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles to resemble and look authentically identical to natural material (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between two.

Recognising this situation, it is necessary to be informed on the grade of design & pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of variation.



V1 Uniform Appearance **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follows:

V1 Minimal Variation **V3** Random Variation **V2** Slight Variation **V4** Substantial Variation



High Definition Image


While laying the tiles please follow the arrow on the back of the tiles.
For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing with any boric/talk powder




VEILCRAFT (VC) SHIELD

Not only look and style; the buzz word for the Gen X tile is timeless elegance. Here comes the revolutionary patented "VeilCraft (VC) Shield" technology, a "high abrasion resistant glaze composition", known as VC (VeilCraft) Shield. This is the first ever patented technology in Indian Ceramic Industry. This not only gives you the perfect aesthetics for your space but also the lifelong protection to your floor.

Result Of The abrasion test at 25,000 revolutions as per the PEI Methodology



Patent Certificate for
"High Abrasion Resistant Glaze"
applied on VC Shield Tiles



PACKAGING DETAIL FOR 600x1200MM FLOOR TILES

Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
600x1200MM	9.0 mm	28.5 Kg.	2 Pcs	1.44 Sq.mt / 15.50 Sq.ft

TECHNICAL SPECIFICATIONS FOR 600x1200MM FLOOR TILES

Characteristics	Requirement as per IS 15622 :2017 E ≤ 0.08% Group B I a	Requirements as per ISO 13006 ≤ 0.5% Group Bla	Our Values	Test Method
A) Dimension & Surface Quality				
i) Length & Width	±0.10%	±0.5%	±0.10%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	±0.10%	±0.50%	±0.10%	
iv) Rectengularity	±0.10%	±0.60%	±0.10%	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	±0.50 %	±0.50 %	±0.2 %	
b) Edge curvature (%) (max.Deviation)	±0.50 %	±0.50 %	±0.2 %	
c) Corner warpage (%) (max.Deviation)	± 0.50 %	± 0.50 %	± 0.2 %	
vi) Surface Quality	>95 % free from visible defects	>95 % free from visible defects	>95 % free from visible defects	
B) Physical Properties				
i) Water Absorption	Av E ≤ 0.08 %, Individual 0.1 max	Av ≤ 0.5 %, Individual 0.6% max	Av E ≤ 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Av 35, Individual 32 min	Av 35, Individual 32 min	Avg. 40	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1300	1300	Min 1500	
iv) Moisture Expansion in mm/m	0.02	Test method available	0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N.A.	Min-6 (For VC), Min-5 (For Rustic), Min-3 (For Polished)	IS 13630 Part 13
vi) Surface Abrasion Resistance	Min II	Abrasion Class & Cycle passed	Class V(for VC), Class IV(for Rustic), Class III(for Polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from embiant temperature to 100° C	6 X 10 ⁻⁶ K ⁻¹	Test method available	Max. 6 X 10 ⁻⁶ K ⁻¹	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Shock Resistance	10 cycle min	Required	10 cycle Passed	IS 13630 Part 5/ISO-10545-9
ix) Crazing Resistance	4 cycle @ 7.5bar min	N.A.	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Restitution	0.55 min	Test method available	0.75-0.90	ISO 10545-5
xi) Frost Resistance	Required	Required	100 Cycle passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
i) Stain Resistance	Min Class-1	Min Class-3	Min Class-1(For Matt), Class-2 (For polished)	IS 13630 Part 8 &ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value ^f	Min Class AA	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. "Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.



PACKAGING DETAIL FOR 800x800MM FLOOR TILES				
Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
800x800MM	9.0 mm	38.5 Kg.	3 Pcs	1.92 Sq.mt / 20.67 Sq.ft

TECHNICAL SPECIFICATIONS FOR 800x800MM FLOOR TILES				
Characteristics	Requirement as per IS 15622 :2017 0.08 < E ≤ 3% Group B I b	Requirements as per ISO 13006 ≤ 0.5% Group Bla	Our Values	Test Method
A) Dimension & Surface Quality				
i) Length & Width	±0.10%	±0.5%	±0.10%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	±0.10%	±0.50%	±0.10%	
iv) Rectengularity	±0.10%	±0.60%	±0.10%	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	±0.50 %	±0.50 %	±0.2 %	
b) Edge curvature (%) (max.Deviation)	±0.50 %	±0.50 %	±0.2 %	
c) Corner warpage (%) (max.Deviation)	± 0.50 %	± 0.50 %	± 0.2 %	
vi) Surface Quality	>95 % free from visible defects	>95 % free from visible defects	>95 % free from visible defects	
B) Physical Properties				
i) Water Absorption	Av 0.08 < E ≤ 3 %, Individual 3.3 max	Av ≤ 0.5 %, Individual 0.6% max	Av E ≤ 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm ²]	Av 30, Individual 27 min	Av 35, Individual 32 min	Avg. 35	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1100	1300	Min 1500	
iv) Moisture Expansion in mm/m	0.02	Declared Value ^e	N.A.	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N.A.	Min-6 (For VC), Min-5 (For Rustic), Min-3 (For Polished)	IS 13630 Part 13
vi) Surface Abrasion Resistance	Min II	Abrasion Class & Cycle passed	Class V(for VC), Class IV(for Rustic), Class III(for Polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from embiant temperature to 100° C	7 X 10 ⁻⁶ K ⁻¹	Declared Value ^e	Max. 6 X 10 ⁻⁶ K ⁻¹	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Shock Resistance	10 cycle min	Passed According to EN-ISO 10545-1 ^p	10 cycle Passed	IS 13630 Part 5/ISO-10545-9
ix) Crazing Resistance	4 cycle @ 7.5bar min	Passed According to EN-ISO 10545-1 ^p	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Restitution	0.55 min	Declared Value ^e	0.75-0.90	ISO 10545-5
xi) Frost Resistance	Required	Passed According to EN-ISO 10545-1 ^p	100 Cycle passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
i) Stain Resistance	Min Class-1	Min Class-3	Min Class-1(For Matt), Class-2 (For polished)	IS 13630 Part 8 &ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value ^f	Min Class AA	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. "Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixd. Complaints will not be entertained for Borders, Highlighters & Motifs.

PACKAGING DETAIL FOR 600x600MM FLOOR TILES				
Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
600x600MM	9.0 mm	28.5 Kg.	4 Pcs	1.44 Sq.mt / 15.50 Sq.ft

TECHNICAL SPECIFICATIONS FOR 600x600MM FLOOR TILES				
Characteristics	Requirement as per IS 15622 :2017 E ≤ 0.08% Group B I a	Requirements as per ISO 13006 ≤ 0.5% Group Bla	Our Values	Test Method
A) Dimension & Surface Quality				
i) Length & Width	±0.10%	±0.5%	±0.10%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	±0.10%	±0.50%	±0.10%	
iv) Rectengularity	±0.10%	±0.60%	±0.10%	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	±0.50 %	±0.50 %	±0.1 %	
b) Edge curvature (%) (max.Deviation)	±0.50 %	±0.50 %	±0.1 %	
c) Corner warpage (%) (max.Deviation)	± 0.50 %	± 0.50 %	± 0.1 %	
vi) Surface Quality	>95 % free from visible defects	>95 % free from visible defects	>95 % free from visible defects	
B) Physical Properties				
i) Water Absorption	Av E ≤ 0.08 %, Individual 0.1 max	Av ≤ 0.5 %, Individual 0.6% max	Av E ≤ 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm ²]	Av 35, Individual 32 min	Av 35, Individual 32 min	Avg. 40	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1300	1300	Min 1500	
iv) Moisture Expansion in mm/m	0.02	Test method available	0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N.A.	Min-6 (For VC), Min-5 (For Rustic), Min-3 (For Polished)	IS 13630 Part 13
vi) Surface Abrasion Resistance	Min II	Abrasion Class & Cycle passed	Class V(for VC), Class IV(for Rustic), Class III(for Polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from embiant temperature to 100° C	6 X 10 ⁻⁶ K ⁻¹	Test method available	Max. 6 X 10 ⁻⁶ K ⁻¹	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Shock Resistance	10 cycle min	Test method available	10 cycle Passed	IS 13630 Part 5/ISO-10545-9
ix) Crazing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Restitution	0.55 min	Required	0.75-0.90	ISO 10545-5
xi) Frost Resistance	Required	Required	100 Cycle passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
i) Stain Resistance	Min Class-1	Min Class-3	Min Class-1(For Matt), Class-2 (For polished)	IS 13630 Part 8 &ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value ^f	Min Class AA	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. "Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixd. Complaints will not be entertained for Borders, Highlighters & Motifs.